




- DEVICE
- GTAs
- VIDEOTAPES




http://pao.hood.army.mil/TSC



MOVING TARGET SIMULATOR: (REDEYE/STINGER)

DVC 44-27 M87 DVC 44-27A M87A1



TRAINING CATEGORY/LEVEL UTILIZED: Air Defense/Level 1

SOURCE AND METHOD OF OBTAINING:

Not generally available for issue (limited production).

PURPOSE OF TRAINER:

To provide a means of presenting aircraft targets to students in a controlled training environment, which represents types, and flight paths that may be encountered in a defended area.

PHYSICAL INFORMATION:

Trainer: 48" x 312" x 432"

EQUIPMENT REQUIRED, NOT SUPPLIED: None

SPECIAL INSTALLATION REQUIREMENTS:

Suitable building or structure. Requires minor MCA funding.

POWER
REQUIREMENTS:
110 V AC, 50 cycle,
3 kva

PUBLICATIONS:

TM 9-6920-427 Series

STINGER TROOP PROFICIENCY TRAINER (STPT)

DVC 44-52 DVC 44-52/1 (PRINTER)



TRAINING CATEGORY/LEVEL UTILIZED: Air Defense/Level 3

EQUIPMENT REQUIRED, NOT SUPPLIED:

> No. 2 Phillips Screwdriver 3/16 Inch Allen Wrench

SOURCE AND METHOD OF OBTAINING: Available at local TSC

PURPOSE OF TRAINER:

The STPT provides SADS (garrison or field environment) training without ordnance expenditure in the following areas:

- 1. Target identification.
- 2. Engagement training tasks.
- 3. Ability to accurately track target.
- 4. Ability to hit target.

SPECIAL INSTALLATION **REQUIREMENTS:**

None

POWER

REQUIREMENTS:

None

PHYSICAL INFORMATION:

Consists of two units:

- 1. Instructor station
- 2. Interface unit

Each unit weighs 164 lbs. **Optional Accessory: Printer** **PUBLICATIONS:**

TD 44-6920-702-10 Scenario Package